

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/628,519	07/28/2003	Gregory A. Ehlers	68,180-004	4286
26753	7590 03/31/2005		EXAMINER	
	CEALES, STARKE & SCONSIN AVENUE, S	SHERR, CRISTINA O		
MILWAUKEI	, -	OHE 1100	ART UNIT	PAPER NUMBER
		•	3621	

DATE MAILED: 03/31/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

1		Application No.	Applicant(s)		
V		10/628,519	EHLERS ET AL.		
/	Office Action Summary	Examiner	Art Unit		
		Cristina Owen Sherr	3621		
	The MAILING DATE of this communication ap	pears on the cover sheet with	h the correspondence address		
Period fo	• •				
THE I - Exter after - If the - If NO - Failui Any r	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period re to reply within the set or extended period for reply will, by statute eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply within the statutory minimum of thirty will apply and will expire SIX (6) MONT e. cause the application to become ABA	ply be timely filed (30) days will be considered timely. HS from the mailing date of this communication. NDONED (35 U.S.C. § 133)		
Status					
1)[🛛	Responsive to communication(s) filed on 28 J	uly 2003.			
	☐ This action is FINAL. 2b)☑ This action is non-final.				
3)	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merit				
	closed in accordance with the practice under				
Dispositi	on of Claims		1		
· <u> </u>			·		
	Claim(s) <u>1-71</u> is/are pending in the application 4a) Of the above claim(s) is/are withdra				
	Claim(s) is/are withdra	with from consideration.			
	Claim(s) 1-71 is/are rejected.				
	Claim(s) is/are objected to.				
	Claim(s) are subject to restriction and/o	or election requirement			
		crosson roquiromoni.			
Application	on Papers				
	The specification is objected to by the Examine				
	The drawing(s) filed on is/are: a)☐ acc				
	Applicant may not request that any objection to the				
	Replacement drawing sheet(s) including the correc				
11)[_]	The oath or declaration is objected to by the Ex	xaminer. Note the attached	Office Action or form PTO-152.		
Priority u	nder 35 U.S.C. § 119				
12)[] /	Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. §	119(a)-(d) or (f).		
	☐ All b)☐ Some * c)☐ None of:				
	1. Certified copies of the priority document	ts have been received.			
	2. Certified copies of the priority document	s have been received in Ap	plication No		
	3. Copies of the certified copies of the prio				
	application from the International Burea	u (PCT Rule 17.2(a)).	•		
* S	ee the attached detailed Office action for a list	of the certified copies not re	eceived.		
Attachment	•				
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)		mmary (PTO-413) 'Mail Date		
3) 🔯 Inform	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date 04/20/04.		ormal Patent Application (PTO-152)		

Art Unit: 3621

DETAILED ACTION

This communication is in response to the application filed July 23, 2003.
 Claims 1-71 have been examined in this case.

Priority

2. This application claims priority to U.S. Patent Application Serial No. 10/402,370 filed March 28, 2003, which claims priority to U.S. Provisional Patent Application Serial No. 60/368,963 filed March 28, 2002 and to U.S. Provisional Patent Application Serial No. 60/383,027 filed on May 24, 2002, all of which are hereby incorporated by reference.

Information Disclosure Statement

3. The information disclosure statement (IDS) submitted on April 20, 2004 is in compliance with the provisions of 37 CFR 1.97. Accordingly, the examiner is considering the information disclosure statement.

Specification

4. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which

Art Unit: 3621

said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 6. Claims 1-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sneeringer (US 6,618,709) in view of Stone et al (US 6,446,045).
- 7. Regarding claim 1 -

Sneeringer discloses a method for providing at least one program to a utility of a commodity, the program aimed at managing demand for the commodity, the utility delivering the commodity to at least one customer site, the customer site having a plurality of devices which use the commodity, including the steps of: delivering the commodity to the subset of devices; measuring the instantaneous rate at which the commodity is being delivered to the subset of the devices; sending the instantaneous rate for each device within the subset to the utility; determining, in real time, a capacity associated with the delivery of the commodity which may be available for management by activating the program (e.g. col 5 ln 35 – col 6 ln 60).

- 8. Sneeringer does not disclose, but Stone does, defining a program having a subset of the plurality of devices for which usage of the commodity may be managed by activating the program (e.g. col 3 ln 10 col 4 ln 55).
- 9. Regarding claims 2-9 –

Sneeringer discloses a method including the steps of: activating the program; and, subsequently measuring at least one of a rate and a change in the rate at which the commodity is being delivered to the subset of the devices; including the step of determining an actual capacity of the commodity saved by activating of the program; including the step of providing at least one of an alternate rate

Art Unit: 3621

and a billing adjustment rebate to at least one customer as a function of the actual capacity managed at the related customer site by the program; wherein the at least one of an alternative rate and a billing adjustment is also a function of historical usage information.; including the step of verifying management of the devices within the subset of the devices; wherein the utility delivers the commodity to a plurality of customer sites, each customer site having a plurality of devices and the step of defining the program includes the step of including within the program all devices of a similar type at each customer site; including the step of allowing a customer to subscribe to the program; wherein the program is mandatory (e.g. col 7 In 10-45).

10. Regarding claims 10-18 -

Sneeringer discloses a method wherein the utility delivers the commodity to a plurality of customer sites, each customer site having a plurality of devices and the step of defining at least one program includes the step of defining a plurality of programs, each program having a respective subset of the devices; wherein the commodity is delivered to the plurality of customer sites through a distribution network, including the step of determining, in real time, a capacity available across the distribution network associated with the delivery of the commodity which may be managed by activating the plurality of programs; including the step of providing a graphical representation of the capacity available across the distribution network; wherein the graphical representation includes at least one of a meter, a bar chart, a line graph, a geophysical display, and a numeric display; wherein the distribution network includes a plurality of substations, the method

including the step of determining, in real time, a capacity available on each substation, associated with the delivery of the commodity which may be managed by activating the plurality of programs; wherein the distribution network includes at least one transmission substation and at least one distribution substation associated with each transmission substation, the method including the step of determining, in real time, a capacity available on each substation. associated with the delivery of the commodity which may be managed by activating the plurality of programs; wherein the distribution network includes at least one circuit associated with each distribution substation, the method including the step of determining in real time, a capacity available on each circuit, associated with the delivery of the commodity which may be managed by activating the plurality of programs; including the step of displaying a collapsible/expandable tree of the distribution network containing the at least one transmission substation, the at least one distribution substation associated with. each transmission substation, and the at least one circuit associated with each distribution substation, wherein selection of one of the substations and circuit in the distribution network displays associated capacity information; wherein the collapsible/expandable tee is displayed in a utility interface, the method including the step of displaying a list of the programs available in response to selection a portion of the tree, the available programs corresponding to those available programs which correspond to a portion of the distribution network (e.g. col 8 In 10-40).

11. Regarding claim 19-36 –

Art Unit: 3621

Sneeringer discloses a method wherein the commodity is electrical power; wherein the commodity is water; wherein the commodity is on of natural gas and steam; wherein the step of defining at least one program includes the step of defining a plurality of programs, each program having a respective subset of the devices, the method including the step of providing a search function for identifying at lease one program which matches a set of conditions; wherein the set of conditions includes an available capacity; including the step of providing a utility interface; wherein the utility interface is accessible through a web browser; including the step of automatically activating the program under a predetermined set of conditions; wherein the predetermined set of conditions includes at least one of a time of day and a day; including the step of manually activating the program as a function of an actual demand of the commodity; wherein the program at least one of shifts demand away from a first time period and eliminates the demand; including the step of managing the subset of devices in response to activation of the program; wherein the step of controlling fire subset of devices includes the step of modifying usage of the commodity during a predetermined period of time; wherein at least one of the devices has an operating set point, and wherein the step of controlling the subset of devices includes the step of modifying the set point; including the steps of receiving a supply request and allowing an operator to responsively activate the program; wherein the program may be activated at least one of immediately and a future point in time; wherein the supply request includes a request duration, wherein the program may be activated as a function of the request duration; wherein each

Art Unit: 3621

device has an associated node, and the method includes the step of downloading to each node, a program schedule containing scheduling information for the program (e.g. col 7 ln 25-65).

- 12. It would be obvious to one of ordinary skill in the art to combine the teachings of Sneeringer and Stone in order to manage commodity usage in a more efficient manner.
- 13. Claim 37 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sneeringer (US 6,618,709) in view of Stone et al (US 6,446,045).
- 14. Regarding claim 37 -

Sneeringer discloses a method for providing at least one program to a utility of a commodity, the program aimed at managing demand for the commodity, the utility delivering the commodity to at least one customer site, the customer site having a plurality of devices which use the commodity, including the steps of: delivering the commodity to the subset of devices; measuring the instantaneous rate at which the commodity is being delivered to the subset of the devices; sending the instantaneous rate for each device within the subset to the utility; determining, in real time, a capacity associated with the delivery of the commodity which may be managed by activating the program; activating the program; determining an actual rue of consumption of the commodity and a rate of change of consumption induced by activation of the program; and, providing at least one of an alternative rate and a billing adjustment to at least one customer as a function of the actual capacity managed at the related customer site by the program (e.g. col 5 ln 35 – col 6 ln 60).

Art Unit: 3621

- 15. Sneeringer does not disclose, but Stone does, defining a program having a subset of the plurality of devices for which usage of the commodity may be managed by activating the program (e.g. col 3 ln 10 col 4 ln 55).
- 16. It would be obvious to one of ordinary skill in the art to combine the teachings of Sneeringer and Stone in order to manage commodity usage in a more efficient manner.
- 17. Claim 38 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sneeringer (US 6,618,709) in view of Stone et al (US 6,446,045).
- 18. Regarding claim 38 -

Sneeringer discloses a method for providing at least one program to a utility of a commodity, the program aimed at managing demand for the commodity, the utility delivering the commodity to at least one customer site, the customer site having a plurality of devices which use the commodity, including the steps of: delivering the commodity to the subset of devices; measuring the instantaneous rate at which the commodity is being delivered to the subset of the devices; sending the instantaneous rate for each device within the subset to the utility determining, in real time, a capacity associated with the delivery of the commodity which may be managed by activating the program; activating the program; and, verifying management of the devices within the subset of the devices (e.g. col 5 ln 35 – col 6 ln 60).

19. Sneeringer does not disclose, but Stone does, defining a program having a subset of the plurality of devices for which usage of the commodity may be managed by activating the program (e.g. col 3 ln 10 – col 4 ln 55).

20. It would be obvious to one of ordinary skill in the art to combine the teachings of Sneeringer and Stone in order to manage commodity usage in a more efficient manner.

- 21. Claims 39-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sneeringer (US 6,618,709) in view of Stone et al (US 6,446,045).
- 22. Regarding claim 39 -

Sneeringer discloses a method for providing at least one program to a utility of electrical power, the program aimed at managing demand for the electrical power, the utility delivering the electrical power to a plurality of customer sites through a distribution network, each customer site having a plurality of devices which use the electrical power, the distribution network including; at least one transmission substation, at least one distribution substation associated with each transmission substation, and at least one circuit associated with each transmission substation, including the steps of: delivering the electrical power to the subset of devices; measuring the instantaneous rate at which the electrical power is being delivered to the subset of the devices; sending the instantaneous rate for each device within the subset to the utility; and, determining, in real time, a capacity available on at least one of the at least one transmission substation, the at least one distribution, and the at least one circuit network associated with the delivery of the commodity which may be managed by activating the program devices (e.g. col 5 ln 35 – col 6 ln 60).

Art Unit: 3621

23. Sneeringer does not disclose, but Stone does, defining a program having a subset of the plurality of devices for which usage, of the electrical power may be managed by activating the program (e.g. col 3 ln 10 – col 4 ln 55).

24. Regarding claims 40-41 -

Sneeringer discloses a method including the step of displaying a collapsible/expandable tree of the distribution network containing the at least one transmission substation, the at least one distribution substation associated with each transmission substation, and the at least one circuit associated with each distribution substation, wherein selection of one of the substations and circuit in the distribution network displays associated at least one of capacity and demand information; wherein the collapsible/expandable tree is displayed in a utility interface, the method including the step of displaying a list of the programs available in response to selection a portion of be tree, the available programs corresponding to those available programs which correspond to a portion of the distribution network (e.g. col 3 ln 10 – col 4 ln 55).

- 25. It would be obvious to one of ordinary skill in the art to combine the teachings of Sneeringer and Stone in order to manage commodity usage in a more efficient manner.
- 26. Claims 42-67 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sneeringer (US 6,618,709) in view of Stone et al (US 6,446,045).
- 27. Regarding claim 42 -

Sneeringer discloses a system for providing at least one program to a utility of a commodity, the program aimed at managing demand for the commodity, the

Art Unit: 3621

utility delivering the commodity to at least one customer site, the customer site having a plurality of devices which use the commodity, comprising a distribution network for delivering the commodity to the subset of devices; a node, coupled to each device, for measuring the instantaneous rate at which the commodity is being delivered to the subset of the devices; and, a control system coupled to the utility interface, the distribution network, and each node, for controlling delivery of the commodity and determining, in real time, a capacity associated with the delivery of the commodity which may be available by activating the program as a function of the measured instantaneous rate (e.g. col 5 ln 35 – col 6 ln 60).

- 28. Sneeringer does not disclose, but Stone does, defining a program having a utility interface, operable by a user, for defining a program having a subset of the plurality of devices for which usage of the commodity may be limited by activating the program (e.g. col 3 ln 10 col 4 ln 55).
- 29. Regarding claims 43 56 -

Sneeringer discloses a program and the nodes adapted to subsequently measure the rate at which the commodity is being delivered to the subset of the devices; the control system for determining at least one of an actual rate of consumption of the commodity and a change in a rate of consumption induced by activating of the program; wherein the control system determines at least on of an alternative rate and a billing adjustment to at least one customer as a function of the actual capacity managed at the related customer site by the program; wherein the at least one of an alternative rate and a billing adjustment is also a function of historical usage information; wherein the control system verifies

Art Unit: 3621

management of the devices within the subset of the devices; wherein the utility delivers the commodity to a plurality of customer sites, each customer site having a plurality of devices and the utility interface allows the user to define a plurality of programs, each program having a respective subset of the devices; wherein the commodity is delivered to the plurality of customer sites through a distribution network, wherein the control system determines, in real time, a capacity available across the distribution network associated with the delivery of the commodity which may be managed by activating the plurality of Programs; wherein the utility interface includes a graphical representation of the capacity available across the distribution network; wherein the graphical representation includes at least one of a meter, a bar chart, a line graph, a geophysical map, and a numerical display; wherein the distribution network includes a plurality of substations, the control system being adapted to determine in real time, a capacity available on each substation, associated with the, delivery of the commodity which may be managed by activating the plurality of programs; wherein the distribution network includes at least one transmission substation and at least one distribution substation associated with each transmission substation, the control system being adapted to determine, in real time, a capacity available on each substation, associated with the delivery of the commodity which may be managed by activating the plurality of programs; wherein the distribution network includes at least one circuit associated with each distribution substation, the control system, being adapted to determine in real time, a capacity available on each circuit, associated with the delivery of the commodity which may be managed by

activating the plurality of programs; the utility interface being adapted to display a collapsible/expandable tree of the distribution network containing the at least one transmission substation, the at least one distribution substation associated with each transmission substation, and the at least one circuit associated with each distribution substation, wherein selection of one of the substations and circuit in the distribution network displays associated capacity information related to capacity that can be managed by the programs; wherein the utility interface displays a list of the programs available in response to selection a portion of the tree, the available programs corresponding to those available programs which correspond to a portion of the distribution network (e.g. col 7 ln 10-45).

30. Regarding claims 57 - 67 -

Sneeringer discloses a system wherein the commodity is electrical power; wherein the commodity is water; wherein the commodity is one of gas and steam; wherein the control system defines at least one program includes the step of defining a plurality of programs, each program having a respective subset of the devices, and provides a search function for identifying at one program which matches a set of predetermined conditions; wherein the set of predetermined conditions includes an available capacity that can be managed by the programs; wherein the utility interface is accessible through a web browser; wherein the program shifts demand away and eliminates demand from a first time period; wherein the control system controls the subset of devices in response to activation of the program; wherein the control system controls the subset of devices by at least one of limiting and increasing usage of the commodity during

Art Unit: 3621

a predetermined period of time; wherein at least one of the devices has an operating set point, and wherein the control system controls the at least one of the devices by modifying the set point; wherein each device has an associated node, and the method includes the step of downloading to each node, a program schedule containing scheduling information for the program (e.g. col 7 ln 25-65).

- 31. It would be obvious to one of ordinary skill in the art to combine the teachings of Sneeringer and Stone in order to manage commodity usage in a more efficient manner.
- 32. Claim 68 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sneeringer (US 6,618,709) in view of Stone et al (US 6,446,045).
- 33. Regarding claim 68 -

Sneeringer discloses a system for providing at least one program to a utility of a commodity, the program aimed at managing demand for the commodity, the utility delivering the commodity to at least one customer site, the customer site having a plurality of devices which use the commodity, including the steps of: delivering the commodity to the subset of devices; measuring the instantaneous rate at which the commodity is being delivered to the subset of the devices; sending the instantaneous rate for each device within the subset to the utility; determining, in real time, a capacity associated with the delivery of the commodity which may be managed by activating the program; activating the program; determining at least one of an actual rate of consumption of the commodity and a charge in a rate of consumption by activating of the program; and providing a at least one of an alternative rate and a billing adjustment to at

Art Unit: 3621

least one customer as a function of the actual capacity modified at the related customer site by the program (e.g. col 5 ln 35 – col 6 ln 60).

- 34. Sneeringer does not disclose, but Stone does, defining a program having a subset of the plurality of devices for which usage of the commodity may be managed by activating the program (e.g. col 3 ln 10 col 4 ln 55).
- 35. It would be obvious to one of ordinary skill in the art to combine the teachings of Sneeringer and Stone in order to manage commodity usage in a more efficient manner.
- 36. Claims 69-71 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sneeringer (US 6,618,709) in view of Stone et al (US 6,446,045).
- 37. Regarding claim 69 -

Sneeringer discloses a system for providing at least one program to a utility of electrical power, the program aimed at managing demand for the electrical power, the utility delivering the electrical power to a plurality of customer sites, each customer site having a plurality of devices which use the electrical power, comprising: a distribution network for delivering the commodity to the sub-set of devices, the distribution network including at least one transmission substation, at least one distribution substation associated with each transmission substation, and at least one circuit associated with each transmission substation; a node, coupled to each device, for measuring the instantaneous rate at which the commodity is being delivered to the subset of the devices; and a control system coupled to the utility interface, the distribution network, and each node, for controlling delivery of the commodity and determining, in real time, a capacity

Art Unit: 3621

available on at least one of the at least one transmission substation, the at least one distribution, and the at least one circuit network associated with the delivery of the commodity which may be managed by activating the program (e.g. col 5 ln 35 – col 6 ln 60).

- 38. Sneeringer does not disclose, but Stone does, a utility interface, operable by a user, for defining a program having a subset of the plurality of devices for which usage of the commodity may be managed by activating the program (e.g. col 3 ln 10 col 4 ln 55).
- 39. Regarding claim 70-71 -

Sneeringer discloses a system wherein the utility interface displays a collapsible/expandable tree of the distribution network containing the at least one transmission substation, the at least one distribution substation associated with each transmission substation, and the at least one circuit associated with each distribution substation, wherein selection of one of the substations and circuit in the distribution network displays associated capacity information; wherein the utility interface displays a list of the programs available in response to selection a portion of the tree, the available programs corresponding to those available programs which correspond to a portion of the distribution network (e.g. col 3 ln 10 – col 4 ln 55).

40. It would be obvious to one of ordinary skill in the art to combine the teachings of Sneeringer and Stone in order to manage commodity usage in a more efficient manner.

Application/Control Number: 10/628,519 Page 17

Art Unit: 3621

41. Examiner's note: Examiner has cited particular columns and line numbers in the references as applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings in the art and are applied to the specific limitations within the individual claim, other passages and figures may be applied as well. It is respectfully requested from the applicant, in preparing the responses, to fully consider the references in entirety as potentially teaching all or part of the claimed invention as well as the context of the passage as taught by the prior art or disclosed by the examiner.

Conclusion

- 42. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cristina Owen Sherr whose telephone number is 703-305-0625. The examiner can normally be reached on 8:30-5:00 Monday through Friday.
- 43. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Trammell can be reached on 703-305-9768. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

44. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JOHN W. HAYES PRIMARY EXAMINER